

**• • R E M A R K S / A R G U M E N T S • •**

The Official Action of May 1, 2008 has been thoroughly studied. Accordingly, the changes presented herein for the application, considered together with the following remarks, are believed to be sufficient to place the application into condition for allowance.

Together with the present Amendment, applicants are submitting a Substitute Specification together with a marked-up copy of the original.

Applicants affirm that the Substitute Specification submitted herewith only includes those changes shown in the marked-up copy of the original Specification. Also, care has been taken to avoid adding any new matter to the specification.

Entry of the Substitute Specification is earnestly requested.

Also by the present amendment, claim 1, 2, 7 and 8 have been change to more clearly recite the manner in which the connections are made with the host computer.

These changes are believed to address and overcome the concerns of the Examiner that are set forth on pages 5-7 of the Office Action.

Further, by the present amendment the Abstract of the Disclosure has been amended to conform with the Examiner's request.

Entry of the changes to the specification, claims and Abstract of the Disclosure is respectfully requested.

On page 2 of the Office Action the Examiner has objected to the drawings for including reference numerals that were not described in the original specification.

In response to the objection to the drawings the specification has been changed to recite and describe the previously missing reference numerals.

On pages 3-5 the Examiner has objected to the specification and the Abstract of the Disclosure for being in improper form.

Applicants are submitted herewith a Substitute Specification and amendments to the Abstract of the Disclosure which are believed to address and overcome the Examiner's concerns expressed on pages 3-5 of the Office action.

Claims 1-3 and 7-9 stand rejected under 35 U.S.C. §112, second paragraph.

Under this rejection the Examiner has expressed concerns as to applicants' use of the terms "inbound" and "outbound."

Upon reviewing the Examiner's comments, claim 1, 2, 7 and 8 have been change to more clearly recite the manner in which the connections are made with the host computer.

These changes are believed to address and overcome the outstanding rejection of claims 1-3 and 7-9 under 35 U.S.C. §112, second paragraph.

Claims 1-8 stand rejected under 35 U.S.C. §103(a) as being unpatentable over U.S. Patent Application Publication No. 2004-0039462 to Chen and further in view of Quinton "An Introduction to Socket Programming," 1997, and U.S. Patent No. 6,137,485 to Kawai et al.

Claim 9 stands rejected under 35 U.S.C. §103(a) as being unpatentable over Chen and further in view of Quinton, and Kawai et al. and further in view of Poon et al. "Performance of Buffer Base Quest-Reply Scheme for VoD Streams Over IP Networks," 2000.

For the reasons set forth below, it is submitted that all of the pending claims are allowable over the prior art of record and therefore, each of the outstanding prior art rejections should properly be withdrawn.

Favorable reconsideration by the Examiner is earnestly solicited.

The Examiner has relied upon Chen as teaching:

...an analog input system that uses an analog signal input terminal (Chen: Figure 2, item 28 depicts analog mic input terminal as an option) to convert an analog signal into a digital signal and send the converted digital signal to a host computer via a network (Chen: Figure 3 depicts the sound card for receiving digital signals; Figure 7 depicts the wireless mic; Figure 6 depicts a device that handles both input and output analog processing; See also [0021] and abstract), wherein

the analog signal input terminal (Chen: Figure 7, item 29 depicts the mic adapter) comprises:

an analog signal input unit (Chen: Figure 7, item 80 depicts the analog input port);

an A/D converter for converting the analog signal into a digital signal (Chen: Figure 7, item 82);

a network controller for controlling data transmission and reception (Chen: Figure 7, item 86);

a terminal-side connection establishing unit for establishing two connections, that is, an inbound connection and an outbound connection, to and from the host computer (Chen: Figure 7, items 85 and 86; Figure 6, items 78 and 74; See also [0027] which provides for bidirectional communication between the device and the host sound card);

a control signal processing unit for receiving control signals from the host computer (Chen: [0027] provides for receiving control signals from the host computer);

a signal transmitting unit for sending digital signals (Chen: Figure 7, items 85 and 86; Figure 6, items 75 and 78; See also [0027]); and wherein

the host computer comprises at least:

a network adapter for controlling data transmission and reception (Chen: Figure 3, items 46 and 40);

a host-side connection establishing unit for establishing two connections, that is, an inbound connection and an outbound connection to and from the analog signal input terminal (Chen: Figure 3, item 46 depicts a transceiver which inherently transmits and receives; Figure 6 and [0027] provide the remote device can handle inbound and outbound data, providing the host can as well);

a control signal processing unit for sending control signals (Chen: Figure 3, items 44 and 48);

an application processing unit for executing an application and allowing the application to use the said digital signals (Figure 3, items 24 and 30; See also [0018]).

The Examiner concedes that:

Chen does not teach wherein the connections are with the Internet Protocol using sockets. Nor does Chen teach wherein the control signals are related to at least a start request and a stop request. Nor does Chen teach wherein the digital signals are transmitted based on received control signals. Nor does Chen teach wherein the host computer has an IP connection disconnecting unit for disconnecting the inbound socket connection and the outbound socket connection.

The Examiner has accordingly relied upon Quinton:

in a similar field of endeavor, teaches wherein the connections are over IP and use sockets (Quinton: pg 1, introduction) and wherein the host computer has an IP connection disconnecting unit for disconnecting the inbound socket connection and outbound socket connection (Quinton: pg 11, line 1).

The Examiner takes the position that:

It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize the teachings of Quinton for communication with IP sockets. The teachings of Quinton, when implemented in the Chen system, will allow one of ordinary skill in the art to communicate to the remote devices using IP packets and reading/writing sockets.

Applicants noted that Chen does not make reference to the following three points:

- 1) Connections with the IP being accomplished via sockets;
- 2) Control signals being utilized for transmission; and
- 3) Provisions of an IP connection disconnecting unit for the disconnection of the inbound/outbound socket connection.

Quinton makes reference to points 1) and 3).

One of the significance features of the present invention lies in the establishment of both inbound and outbound socket connections.

Paragraphs 0072-0075 of applicants' specification expound on the significance of this difference between the present invention and the prior art:

[0072]

In the present invention, two sockets, an outbound socket specific to outbound information and an inbound socket specific to inbound information, are provided between the personal computer 10 and analog signal input/output device 30. The outbound socket sends a command or data as an outbound message. A receiving port with a port number, for example, 47474 is provided on the analog signal input/output device 30.

[0073]

Then, an inbound message is used to return a status as a response. The inbound socket sends a command or data as an inbound message. Then, an outbound message is used to return a status. A receiving port with a port number, for example, 41414 is provided on the personal computer 10.

[0074]

These sockets are connected as follows: when the outbound socket is connected by the IP connection establishing unit 52 in the personal computer 10, the inbound socket is connected by the IP connection establishing unit 62 in the analog signal input/output device 30.

[0075]

In the present invention, as described above, the inbound socket and outbound socket are connected independently. When the inbound socket and outbound socket are selectively used to send and receive data and commands as described below, therefore, stable signal input/output is achieved without data

transfer congestion.

As can be understood the establishment of both inbound and outbound socket connections according to the present invention reduce delays in data transmission by allocating 2 separate ports for inbound and outbound transmission.

Neither Chen nor Quinton disclose, appreciate or render obvious this feature of applicants' invention.

Chen makes use of bidirectional communication, however the result associated with Chen's approach would involve data transmission delays - the very problem that the present invention is concerned with solving.

The Examiner has relied up Kawai:

...in a similar field of endeavor, teaches wherein the control signals are related to at least a start request and a stop request (Kawai: col 11, line 53-65; See also Figures 15A and 15B) and wherein the digital signals (Kawai's video transmission) are transmitted based on received control signals (Kawai: col 11, line 53-col 12, line 28).

Kawai teaches the use of control signals in Figs. 15A and 15B and their use for starting and stopping the transmission of video recording.

Kawai does not teach control signals that are sent via either inbound or outbound connections, depending which is the optimal route as depicted in applicants' Figs. 8 and 9.

The Examiner's reliance upon Poon et al. does not address or overcome the distinctions between applicants' claimed invention and the primary and secondary references.

Based upon the above distinctions between the prior art relied upon by the Examiner and the present invention, and the overall teachings of prior art, properly considered as a whole, it is respectfully submitted that the Examiner cannot rely upon the prior art as required under 35 U.S.C. §103 to establish a *prima facie* case of obviousness of applicants' claimed invention.

It is, therefore, submitted that any reliance upon prior art would be improper inasmuch as the prior art does not remotely anticipate, teach, suggest or render obvious the present invention.

It is submitted that the claims, as now amended, and the discussion contained herein clearly show that the claimed invention is novel and neither anticipated nor obvious over the teachings of the prior art and the outstanding rejection of the claims should hence be withdrawn.

Therefore, reconsideration and withdrawal of the outstanding rejection of the claims and an early allowance of the claims is believed to be in order.

It is believed that the above represents a complete response to the Official Action and reconsideration is requested.

The prior art cited by the Examiner on pages 14-15 of the Office Action has been noted. This prior art is not deemed to be particularly pertinent to applicant's claimed invention.

If upon consideration of the above, the Examiner should feel that there remain outstanding issues in the present application that could be resolved, the Examiner is invited to contact applicant's patent counsel at the telephone number given below to discuss such issues.

Appl. No. 10/579,880  
Amdt. Dated October 7, 2008  
Reply to Office Action of May 1, 2008

To the extent necessary, a petition for an extension of time under 37 CFR §1.136 is hereby made. Please charge the fees due in connection with the filing of this paper, including extension of time fees, to Deposit Account No. 12-2136 and please credit any excess fees to such deposit account.

Respectfully submitted,



Michael S. Gzybowski  
Reg. No. 32,816

BUTZEL LONG  
350 South Main Street  
Suite 300  
Ann Arbor, Michigan 48104  
(734) 995-3110